

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Monday, June 26, 2006

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L8	L7 and @py<=2003	5
<input type="checkbox"/>	L7	L6 and 'utf-8'	14
<input type="checkbox"/>	L6	L5 and scheme	29
<input type="checkbox"/>	L5	L3 and iso	49
<input type="checkbox"/>	L4	L3 and blob	1
<input type="checkbox"/>	L3	'universal character set'	95
<input type="checkbox"/>	L2	'universal character set transformation'	4
<input type="checkbox"/>	L1	'universal character set transformation-8'	1

END OF SEARCH HISTORY



Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((blob<in>metadata) <and> (characters<in>metadata))"

☐ e-mail

Your search matched 14 of 1365662 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((blob<in>metadata) <and> (characters<in>metadata))

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **A scale space approach for automatically segmenting words from historical documents**
Manmatha, R.; Rothfeder, J.L.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 27, Issue 8, Aug. 2005 Page(s):1212 - 1225
Digital Object Identifier 10.1109/TPAMI.2005.150
[AbstractPlus](#) | Full Text: [PDF\(1680 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Integrating word level knowledge in text recognition**
Harmalkar, S.; Sinha, R.M.K.;
[Pattern Recognition, 1990. Proceedings., 10th International Conference on](#)
Volume i, 16-21 June 1990 Page(s):758 - 760 vol.1
Digital Object Identifier 10.1109/ICPR.1990.118211
[AbstractPlus](#) | Full Text: [PDF\(240 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Character recognition system for cellular phone with camera**
Bae, K.S.; Kim, K.K.; Chung, Y.G.; Yu, W.P.;
[Computer Software and Applications Conference, 2005. COMPSAC 2005. 29th International](#)
Volume 1, 26-28 July 2005 Page(s):539 - 544 Vol. 2
Digital Object Identifier 10.1109/COMPSAC.2005.55
[AbstractPlus](#) | Full Text: [PDF\(3696 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Character extraction method without prior knowledge on size and position**
Hontani, H.; Koga, T.;
[Vehicle Electronics Conference, 2001. IVEC 2001. Proceedings of the IEEE In](#)
25-28 Sept. 2001 Page(s):67 - 72
Digital Object Identifier 10.1109/IVEC.2001.961728
[AbstractPlus](#) | Full Text: [PDF\(562 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Machine printed character segmentation method using side profiles**
Min-Chul Jung; Yong-Chul Shin; Srihari, S.N.;
[Systems, Man, and Cybernetics, 1999. IEEE SMC '99 Conference Proceeding](#)
[International Conference on](#)

Volume 6, 12-15 Oct. 1999 Page(s):863 - 867 vol.6
Digital Object Identifier 10.1109/ICSMC.1999.816665

[AbstractPlus](#) | Full Text: [PDF](#)(648 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **6. PC based number plate recognition system**
Coetzee, C.; Botha, C.; Weber, D.;
[Industrial Electronics, 1998. Proceedings. ISIE '98. IEEE International Sympos](#)
Volume 2, 7-10 July 1998 Page(s):605 - 610 vol.2
Digital Object Identifier 10.1109/ISIE.1998.711680
[AbstractPlus](#) | Full Text: [PDF](#)(712 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **7. Active voodoo dolls: a vision based input device for nonrigid control**
Isidoro, J.; Sclaroff, S.;
[Computer Animation 98. Proceedings](#)
8-10 June 1998 Page(s):137 - 143
Digital Object Identifier 10.1109/CA.1998.681918
[AbstractPlus](#) | Full Text: [PDF](#)(236 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **8. A system for reading USA census '90 hand-written fields**
Simoncini, L.; Kovacs, Z.M.;
[Document Analysis and Recognition, 1995., Proceedings of the Third Internati](#)
[on](#)
Volume 1, 14-16 Aug. 1995 Page(s):86 - 91 vol.1
Digital Object Identifier 10.1109/ICDAR.1995.598950
[AbstractPlus](#) | Full Text: [PDF](#)(492 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **9. Korean and English character recognition system using hierarchical clas network**
Jin Ho Kim; Kye Kyung Kim; Sung Il Chien;
[Systems, Man and Cybernetics, 1995. 'Intelligent Systems for the 21st Century](#)
[International Conference on](#)
Volume 1, 22-25 Oct. 1995 Page(s):759 - 764 vol.1
Digital Object Identifier 10.1109/ICSMC.1995.537856
[AbstractPlus](#) | Full Text: [PDF](#)(444 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **10. Base line correction for handwritten word recognition**
Tsuruoka, S.; Watanabe, N.; Minamide, N.; Kimura, F.; Miyake, Y.; Shridhar, N
[Document Analysis and Recognition, 1995., Proceedings of the Third Internati](#)
[on](#)
Volume 2, 14-16 Aug. 1995 Page(s):902 - 905 vol.2
Digital Object Identifier 10.1109/ICDAR.1995.602047
[AbstractPlus](#) | Full Text: [PDF](#)(320 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **11. A generic method for determining the up/down orientation of text in Rom Roman scripts**
Aradhye, H.B.;
[Document Analysis and Recognition, 2005. Proceedings. Eighth International](#)
29 Aug.-1 Sept. 2005 Page(s):187 - 191 Vol. 1
Digital Object Identifier 10.1109/ICDAR.2005.13
[AbstractPlus](#) | Full Text: [PDF](#)(320 KB) [IEEE CNF](#)
[Rights and Permissions](#)

12. Hidden loop recovery for handwriting recognition

- ☐ Doermann, D.; Intrator, N.; Rivin, E.; Steinherz, T.;
Frontiers in Handwriting Recognition, 2002. Proceedings. Eighth International'
6-8 Aug. 2002 Page(s):375 - 380
Digital Object Identifier 10.1109/IWFHR.2002.1030939
[AbstractPlus](#) | Full Text: [PDF\(439 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **13. Two-dimensional calculation of nonsequential electron layer generation in
microwave beams in low-pressure air**
Mayhall, D.J.; Yee, J.H.; Sieger, G.E.; Alvarez, R.A.;
Plasma Science, 1990. IEEE Conference Record - Abstracts., 1990 IEEE Inter
Conference on
21-23 May 1990 Page(s):172
Digital Object Identifier 10.1109/PLASMA.1990.110743
[AbstractPlus](#) | Full Text: [PDF\(104 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **14. A comparative study of combination schemes for an ensemble of digit re
networks**
Wesolkowski, S.; Hassanein, K.;
Systems, Man, and Cybernetics, 1997. 'Computational Cybernetics and Simul
International Conference on
Volume 4, 12-15 Oct. 1997 Page(s):3534 - 3539 vol.4
Digital Object Identifier 10.1109/ICSMC.1997.633202
[AbstractPlus](#) | Full Text: [PDF\(580 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

double byte character set

Search

[Advanced Search](#)
[Preferences](#)**Web**

Results 11 - 20 of about 12,400,000 for double byte character set. (0.85 seconds)

PUTTY semi-bug dbcs-breakage

summary: **Double-byte character set** (CJK, &c) display is broken class: semi-bug: This might or might not be a bug, depending on your precise definition of ...

www.chiark.greenend.org.uk/~sgtatham/putty/wishlist/dbcs-breakage.html - 5k -

[Cached](#) - [Similar pages](#)

'Address Bar Spoofing on Double Byte Character Set Locale ...

[prev in thread] [next in thread] List: ntbugtraq Subject: Address Bar Spoofing on **Double Byte Character Set** Locale Vulnerability (CAN-2004-0844) Patched in ...

marc.theaimsgroup.com/?l=ntbugtraq&m=110174346717733&w=2 - [Similar pages](#)

'Address Bar Spoofing on Double Byte Character Set Locale ...

Viewing messages in thread 'Address Bar Spoofing on **Double Byte Character Set** Locale Vulnerability (CAN-2004-0844) Patched in MS' ...

marc.theaimsgroup.com/?t=110174354500003&r=1&w=2 - [Similar pages](#)

Novell Documentation: Novell Server Consolidation and Migration ...

When you have servers containing extended ASCII data (multinational characters) or **double-byte character set** data(Japanese, Korean, and other oriental ...

www.novell.com/documentation/scmt/scmt11/data/bz4ec8s.html - 3k -

[Cached](#) - [Similar pages](#)

Microsoft Internet Explorer Double Byte Character Parsing Code ...

The **Double-Byte Character Set** (DBCS) is an expanded 8-bit **character set** of the Single-**Byte Character Set** (SBCS) used to render language characters such as ...

www.juniper.net/security/auto/vulnerabilities/vuln3313.html - 12k - [Cached](#) - [Similar pages](#)

You cannot input double-byte character set (DBCS) characters in ...

Fixes a problem where you cannot input **double-byte character set** (DBCS) characters in the "Use this name" field of your Public Folder property in Exchange ...

support.microsoft.com/?kbid=867740 - [Similar pages](#)

[[More results from support.microsoft.com](#)]

Double Byte Character Sets : Definition

Note: Depending on the performance needs of your site, your system administrator has the option of installing **Double-Byte Character Set** extensions. ...

www.csc.fi/cschelp/sovellukset/stat/sas/sasdoc/sashtml/lrcon/z1317424.htm - 3k -

[Cached](#) - [Similar pages](#)

Glossary - D

DBCS: See **double-byte character set**. debug: To detect, locate, ... Contrast with single-**byte character set**. **double-precision**: Pertaining to the use of two ...

www.inf.infn.it/Calcolo/doc/aixcxx/html/glossary/d.htm - 15k - [Cached](#) - [Similar pages](#)

PicoSearch FAQ: Character Set control

But Asian languages which have hundreds or thousands of glyphs must use **double-byte character sets**, and these are supported individually by PicoSearch only ...

www.picosearch.com/faqs/faq_charsets.html - 14k - [Cached](#) - [Similar pages](#)

Lexmark ROM (font card) - Double Byte Character Set (DBCS ...

Save money! Compare Lexmark ROM (font card) - **Double Byte Character Set (DBCS)**, Japanese fonts and Boot ROM/PROM prices from across the Web and read Lexmark ...
www.mysimon.com/Lexmark_ROM_font_card_Double_Byte_Character_Set_DBCS_Japanese_fonts/4014-3040_8-30178953.html - 42k -
[Cached](#) - [Similar pages](#)




Result Page: **[Previous](#)** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 12,300,000 for double byte character set. (0.65 seconds)**Character set, code pages, encodings, at the push of a button**

Some of these have more specific names DBCS (**double-byte character set**), MBCS (multi-byte character set). Some encodings are the result of transformations, ...
www.i18nguy.com/unicode/codepages.html - 34k - [Cached](#) - [Similar pages](#)

Double-byte character set fundamentals

Double-byte character set fundamentals. Some languages, such as Chinese, Japanese, and Korean, have a writing scheme that uses many different characters ...
publib.boulder.ibm.com/series/v5r2/ic2924/info/dm/rbal3mst187.htm - 4k - [Cached](#) - [Similar pages](#)

Double-byte character set (DBCS) considerations

A **double-byte character set** (DBCS) is a **character set** that represents each **character** with 2 **bytes**. The DBCS supports national languages that contain a large ...
publib.boulder.ibm.com/infocenter/series/v5r3/topic/dbp/rbafoappdbcs.htm - 4k - [Cached](#) - [Similar pages](#)
 [[More results from publib.boulder.ibm.com](#)]

Character sets and codepages

Double-Byte character sets (DBCS) are a mixture of Single-Byte and **Double-Byte character** encodings and provide over 65000 **character** codes (2 to the 16th ...
www.microsoft.com/typography/unicode/cscp.htm - 18k - [Cached](#) - [Similar pages](#)

Character sets

DBCS stands for **Double Byte Character Sets** but are actually multi-byte encodings, a mix of 8-bit and 16-bit characters. Modern writing systems used in the ...
www.microsoft.com/typography/unicode/cs.htm - 25k - [Cached](#) - [Similar pages](#)

Double-Byte Character Set Enable - What does Double-Byte Character ...

What does **Double-Byte Character Set Enable** stand for? Definition of **Double-Byte Character Set Enable** in the list of acronyms provided by the Free Online ...
acronyms.thefreedictionary.com/Double-Byte+Character+Set+Enable - 22k - [Cached](#) - [Similar pages](#)

DBCS - Delivery Bar Code Sorter, Double-Byte Character Set

DBCS (Delivery Bar Code Sorter, **Double-Byte Character Set**)
www.auditmypc.com/acronym/DBCS.asp - 32k - [Cached](#) - [Similar pages](#)

More on Character Sets and Encoding Forms

Double-Byte Character Set: A cover term for pre-Unicode CJK **character sets**. Each **character** of a DBCS is encoded in exactly two **bytes**. ...
zsigri.tripod.com/fontboard/cjk/csmore.html - 17k - [Cached](#) - [Similar pages](#)

High-Tech Dictionary Definition

Double-byte character sets are needed for such languages as Japanese, Chinese, and Korean, which have many characters. These **character sets** must be used with ...
www.computeruser.com/resources/dictionary/definition.html?lookup=1241 - 12k - [Cached](#) - [Similar pages](#)

Double-byte character set characters are not displayed correctly ...

Fixes an issue where **double-byte character set** characters are not displayed correctly in an Exchange Server 5.5 mailbox if they are transferred with the ...
support.microsoft.com/?kbid=827880 - [Similar pages](#)


Try your search again on [Google Book Search](#)

The screenshot shows a Google search result page. The main heading is "Goooooooooooooogle" with a play button icon. Below it, the text "Result Page:" is followed by a series of numbered links: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, and a "Next" link. To the right of the main heading is a sidebar with various widgets: "ITLY vs US: Final Score" showing Italy 1 and United States 1; "Email" and "News" links; and a weather widget showing "57°F Mostly Cloud". At the bottom of the sidebar, there are icons for Google, a speech bubble, and a clock showing "12:00 AM".

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)**Web**

Results 11 - 20 of about 132,000 for 2002 chinese characters blob. (0.50 seconds)

AskTom "Retrieving Data from BLOB into a file."

Retrieving Data from **BLOB** into a file November 08, 2002 ... Everything worked fine (including some data having **Chinese characters**) in the database running ...
 asktom.oracle.com/pls/ask/ f?p=4950:8::::F4950_P8_DISPLAYID:6379798216275 - 253k -
[Cached](#) - [Similar pages](#)

Custom Chinese Calligraphy Wall Scrolls - Chinese Calligraphy ...

Those were supposed to be the **Chinese characters** of the original text. ... brings them a **blob** of sugary noodle dough with a piece of paper stuck in it. ...
 www.orientaloutpost.com/proddetail.php?prod=1-CSCustom - 19k - [Cached](#) - [Similar pages](#)
 [[More results from www.orientaloutpost.com](#)]

Halfbakery: non-verbal programming language

Computerised **Chinese Character** Recognition ... RayfordSteele, Feb 14 2002 ... Basically, there is a **blob** and it makes a sound when it hits each graphic ...
 www.halfbakery.com/idea/ non-verbal_20programming_20language - 60k -
[Cached](#) - [Similar pages](#)

[PDF] ICPR 2002 Final Program

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 CHEF: Convex Hull of Elliptic Features for 3D **Blob** Detection. Q. Yang and B. Parvin ... Off-Line Handwritten **Chinese Character** Stroke Extraction ...
 icpr2002.gel.ulaval.ca/icpr2002FinalProgram.pdf - [Similar pages](#)

The Atlantic | January 2002 | Burn Your Maps | Leff

The Atlantic Monthly | January 2002. Burn Your Maps A short story ... and I have painstakingly memorized certain **Chinese characters**, but I lack that magical ...
 www.theatlantic.com/issues/2002/01/leff.htm - [Similar pages](#)

[PDF] JIRA Standalone: using an external database

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 For Oracle, VARCHAR2 text fields have a maximum size of 4000 **characters**. ... WEB-INF/classes/entitydefs/fieldtype-db2.xml (**BLOB** to **BLOB**(1000) and CLOB to ...
 www.atlassian.com/software/ jira/docs/v3.6.2/standalone-dbconfig.pdf - [Similar pages](#)

jiaozi@Everything2.com

Said **blob** should be about the size of a US quarter in diameter, ... The **Chinese** word is jiaozi (»â¼ in traditional **Chinese characters**, Big5 coding). ...
 everything2.com/?node_id=745294 - 60k - [Cached](#) - [Similar pages](#)

MySQL Bugs: Search

(444 days), S2, 3.1.7, characterEncoding no longer works for **blob** ... (42 days), S1, 4.1.11, Windows 2000, A few **Chinese characters** cannot be stored - Most ...
 bugs.mysql.com/search.php?cmd=display&similar=8603 - 19k - [Cached](#) - [Similar pages](#)
 [[More results from bugs.mysql.com](#)]

[Paper] A Self-service Digital Virtual Reference Service System ...

As the **Chinese characters** are written without separation, ... Name of resource item
 varchar(100) Introduction to resource **blob** Type of resource int(11) URL ...

www.actapress.com/PDFViewer.aspx?paperId=16988 - [Similar pages](#)

DB2 Everyplace 8.1.4

(APAR IC36408) When using the traditional **Chinese** version of IBM Sync on WinCE devices, there are corrupted **characters** on the detailed subscription ...

www-306.ibm.com/software/data/db2/everyplace/doc/release_enu_sdk.htm - 38k -

[Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

2002 chinese characters blob

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

www.sqlservercentral.com/scripts/listscripts.asp?categorynm=Replication&categoryid=6 - [Similar pages](#)

www.freedownloadscenter.com/Best/interbase-c.html - 37k - Cached - Similar pages

www.ftponline.com/conferences/vslive/2002/or/sql_sessions.asp - 27k -
Cached - Similar pages

Blob Vs. Smart Blob - comp.databases.informix - Jun 26, 2002
Jeremy's MySQL Book - mailing.database.mysql - Jan 12, 2002
blob versus file - mailing.database.mysql - Jul 2, 2002

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

2002 replication blob data

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

<http://www.google.com/search?q=2002+replication+blob+data&hl=en&lr=>

[Sign in](#)Web Images Groups News Froogle Maps [more »](#)

2002 replication blob data

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 91,100 for **2002 replication blob data**. (0.44 seconds)**Data Replication Software**www.ReplicationSoftware.XOsoft.com Real-Time Repl., Failover, Recovery 32 & 64 bit support. Trial eval.**Data Replication Software**www.DataMirror.com Integrate & protect your **data** with real-time **data replication** software**Heterogeneous Database Replication Solutions**Provides support for all **data** types including text & image (**BLOB**) **data** types. ... Aardvark Communications 1998 - **2002**. database, replication, software ...www.aardvark.on.ca/pd/replicate.html - 6k - [Cached](#) - [Similar pages](#)**Databases synchronization/ replication - RelXSync****data** synchronization/relcation software. ... The relX synchronization protocol fully supports UNICODE **data**. Flexible "publish and subscribe" allows for the ...www.relexus.com/products/data_sync/index.shtml - 40k -[Cached](#) - [Similar pages](#)**Borland Developer Network Home Page**Topics include: configuring the system; login security; displaying standard **data** types; displaying **BLOB data**; and allowing the end user to insert, update, ...community.borland.com/sameauthor/32327 - 36k -[Cached](#) - [Similar pages](#)**OmniAudit: Release Notes**

Setting up merge replication was creating a "row size is larger than the maximum ...


Version 1.5.2 Released: 07 Aug 2002. When **BLOB data** was marked both for ...www.krell-software.com/omniaudit/release-notes.asp - 33k - [Cached](#) - [Similar pages](#)**Database & Network - Software Development - Free Software Download ...**Manage SQL Server **Replication** simply with SSW SQL Total Compare ... Tool for collecting and analyzing information about stored **BLOB data**. ...sharewareplaza.com/Database-Network-category_107_25.html - 30k -[Cached](#) - [Similar pages](#)**Re: To Blob or Not to Blob? THAT is the question.**2) **Blob data** types and functionality is, IMHO, an area that is not handled ... October 31,**2002 7:17 AM Subject: [ADMIN] To Blob or Not to Blob? ...**archives.postgresql.org/pgsql-admin/2002-10/msg00318.php - 16k -[Cached](#) - [Similar pages](#)**ADASS 2003 Conference Proceedings**The usage of undistinguishable Binary Large Object (**BLOB**) **data** is not encouraged ...Persistence and **Replication** - DMC emphasizes the scientific computing ...www.adass.org/adass/proceedings/adass03/P4-9/ - 15k - [Cached](#) - [Similar pages](#)

Sponsored Links

Sponsored Links

Instant Data ReplicationReal Time, Constant, No Conflicts
Eliminate 95% Traffic, Free Trial
www.avaiil.com**SureSync File Replication**Automate local & remote replication
Free trial for Servers & PC's
www.softwarepursuits.com**Data Replication**Asynchronous, real-time Windows
data replication with no limits!
software.emc.com**Data Replication**Trusted Leader In SAN Solutions For
Enterprise-Learn More Here!
www.McData.com**LAN/WAN Data Replication**Real-time **data** mirrors across
LAN or WAN on Linux and Windows
www.steeleye.com

[Sign in](#)



Web Results 1 - 10 of about **26,800** for **2002 replication blob data target source fields**. (0.64 seconds)

[Database Tools > Interbase Firebird Yaffil > Other. Torry's Delphi ...](#)

Make store xml-**data** into database **fields** (**BLOB** or **VARCHAR**) and processing this **fields** into stored procedures. Fully functional **Source**: None ...

www.torry.net/pages.php?id=1415 - 49k - [Cached](#) - [Similar pages](#)

[Release Notes](#)

Show current replicating **source**->**target** database pair in **Replication Server** ... Occasional '**Data** type unknown' errors. 4. Problems with INT64 key **fields**. ...

www.ibphoenix.com/main.nfs?a=ibphoenix&page=ibp_repl_release_notes - 33k -

[Cached](#) - [Similar pages](#)

[Learn interbase software by Ilya Padabed and others](#)

Supports SQLDialect 3 of InterBase 6.x, array and **blob fields**, ... databases and importing table **data** from an ADO-compatible **source** (eg MS Access, ...

www.freedownloadscenter.com/Best/learn-interbase.html - 44k - [Cached](#) - [Similar pages](#)

[\[PDF\] Advantage Database Server 8.0](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Field-Level Constraints: Ensure that the **data** entered for each individual **field** ... The **source** tables to be replicated and the **target** database(s) are easily ...

www.ianywhere.com/downloads/datasheets/ads_ds8.pdf - [Similar pages](#)

[MrJoy.com -- EasyORM](#)

(No more writing your own **data** access/persistence code. ... Handle **BLOB** and **TEXT fields** correctly. Added my e-mail address to documentation. ...

www.mrjoy.com/easyorm/ - 25k - [Cached](#) - [Similar pages](#)

[Microsoft Exchange 2000 Server Frequently Asked Questions](#)

The Site **Replication** Service (SRS) was designed to provide directory interoperability ... Even if a tool is used to parse a **BLOB**, **data** could be decoded. ...

www.microsoft.com/technet/prodtechnol/exchange/2000/plan/e2kfaq.mspx - 31k -

[Cached](#) - [Similar pages](#)

[\[PDF\] Tactics to Data Transformation Nirvana](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Blob and memo **field** handling ... diverse **data** migration and **replication** strategies ... **source data** to **target** structures while allowing the user to ...

eai.ittoolbox.com/pub/TF041601.pdf - [Similar pages](#)

[\[PDF\] Appendix C \(FEMIS Data Dictionary](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

November 20, 2002-Version 1.5.3. 21 D2_I_OPC_SRC Y VARCHAR2(1). **Source** for Output ... 15 GEO_OBJECT_SHAPE Y **CLOB**. Polygonal shape **data** as text. Table Name ...

www.pnl.gov/femis/documents/dmg-153/dmg-c_153.pdf - [Similar pages](#)

[DB2 Universal Database versus Oracle data movement](#)

Note that this article does not cover **replication** mechanisms for **data** movement such as ... Same **data** block size and charset for **source** and **target** databases ...

www.ibm.com/developerworks/db2/library/techarticle/dm-0505tham/ - 109k -
[Cached](#) - [Similar pages](#)

Programmers Heaven - Database & XML Zone - Development Tools ...

IBLogScript - scripting tool for **replication** and cancel of **data** changes for Interbase. ...

Changes of a (**source**) database are transferred to other (**target**) ...

www.programmersheaven.com/zone18/cat749/index.htm - 52k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►
 Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

New! Get live World Cup scores on your computer
[Download Google Desktop](#)

Google

ITLY vs US: Final Score

Italy	1
United States	1

Email

News

57°F Mostly Cloud


12:00 AM

2002 replication blob data target so

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)**Web**Results 1 - 10 of about 790,000 for **2001 data type blob data**. (0.66 seconds)**Return of the BLOB**

The true **BLOB data types** that Table 1 shows can hold as much as 2GB of **data**, ... Roel Ang- June 02, 2001. This article said that we can store any **type** of ...
www.sqlmag.com/Article/ArticleID/20460/sql_server_20460.html - [Similar pages](#)

Does postgres support data type BLOB

... To: pgsql-general (at) postgresql (dot) org; Subject: Does postgres support **data type BLOB**; Date: Thu, 20 Dec 2001 21:03:17 -0800 ...
archives.postgresql.org/pgsql-general/2001-12/msg00731.php - 13k -
[Cached](#) - [Similar pages](#)

Return of the BLOB (SQL Server Magazine 2001)

The image **data type** is the primary **BLOB-storage data type**; you can use it ... Although varbinary isn't a true **BLOB data type**, you can use varbinary fields to ...
msdn.microsoft.com/library/en-us/dnsqmag01/html/BLOB.asp?frame=true - 24k -
[Cached](#) - [Similar pages](#)

DevNetwork Forums :: View topic - REGARDING THE BLOB DATA TYPE

I am uploading the .doc file to mcrypt and store into **blob data type** in mysql. Then retrieve the **data** how to decrypt that content. ...
forums.devnetwork.net/viewtopic.php?t=40266& - 31k - [Cached](#) - [Similar pages](#)

ONLamp.com -- SQL Data Types

John Paul Ashenfelter discusses the different **data types** for different SQL platforms. ... Image (<2GB), Long Raw, **Blob** Text, Binary Varbinary ...
www.onlamp.com/pub/a/onlamp/2001/09/13/aboutSQL.html - 44k - [Cached](#) - [Similar pages](#)

Large object (LOB) message

<msg xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" ... The elements are named for their **data type**, either **blob**, **clob**, or **dbclob**. ...
publib.boulder.ibm.com/infocenter/db2help/topic/com.ibm.db2.ii.doc/admin/rqrxflcb.htm - 12k - [Cached](#) - [Similar pages](#)

JavaRanch Big Moose Saloon: Saving XML in Oracle Blob Data type

I would really appreciate if someone provides me the source code to save an XML string in Oracle **Blob Data type**. Thanks and Regards, Nirant.C ...
saloon.java-ranch.com/cgi-bin/ubb/ultimatebb.cgi?ubb=get_topic&f=3&t=009301 - 30k -
[Cached](#) - [Similar pages](#)

Native OLE DB Provider for InterBase and Firebird SQL Servers. The ...

For example, when writing **BLOB**-field into ordinal text column and vice versa. Commercial version forcibly converts parameter **data** to the **type**, ...
www.ibprovider.com/eng/documentation/FreeVSCom.html - 16k - [Cached](#) - [Similar pages](#)

XML.com: Storing XML in Relational Databases

DAD: stored in the form of DB2 **CLOB data type**; input XML document: stored in the form of DB2 ... ObjectCentric Solutions, Inc., 2001, www.objcentric.com ...
www.xml.com/lpt/a/2001/06/20/databases.html - 36k - [Cached](#) - [Similar pages](#)

[Elsevier MDL :: Company Information :: News :: Press Releases :: 2001](#)
SAN LEANDRO, California—July 30, 2001—MDL Information Systems, Inc., ... the Binary
Large Object (**BLOB**) **data types** necessary to support foreign **data** objects ...
[www.mdl.com/company/news/press_releases/ 2001/pr_isidirect30jul01.jsp](http://www.mdl.com/company/news/press_releases/2001/pr_isidirect30jul01.jsp) - 53k - Jun 24,
2006 - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►
Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

New! Get live World Cup scores on your computer
[Download Google Desktop](#)

Google

ITLY vs US: Final Score

Italy	1
United States	1

Email

News

57°F Mostly Cloud

12:00 AM

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

[AbstractPlus](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[View Search Results](#) | [Previous Article](#) | [Next Article](#) [e-mail](#)

Access this document

Full Text: [PDF](#) (296 KB)

Download this citation

Choose

[Citation & Abstract](#)

Download

[ASCII Text](#)[Download](#)[» Learn More](#)

Rights and Permissions

[» Learn More](#)

Counting the number of blobs in an image

Sossa Azuela, J. Guzman Lugo, G. Sotelo Rangel, R.

Centro de Investigacion en Computacion, Instituto Politecnico Nacional, Mexico City, Me:

This paper appears in: [Image Processing, 2001. Proceedings. 2001 International Conference on](#)

Publication Date: 7-10 Oct. 2001

Volume: 1

On page(s): 1086 - 1089 vol.1

Number of Pages: 3 vol.(1086+1087+1088+1089)

Meeting Date: 10/07/2001 - 10/10/2001

Location: Thessaloniki

INSPEC Accession Number: 7211052

Digital Object Identifier: 10.1109/ICIP.2001.959238

Posted online: 2002-08-07 00:33:09.0

Abstract

A new way to determine the number of blobs in an image is presented. The technique can be used for the case of convex or non-convex, elongated or not elongated blobs with a smooth contour, or for the case of non-convex, elongated or not elongated blobs with a rough contour. The number of blobs in a given image is obtained as a function of three quantities: the number of conglomerates, the number of singular concavity points, and the number of holes in the image. The technique has been tested with several synthetically generated gray level images containing elongated convex objects. The preliminary results are very promising. Errors were mainly due to the appearance of some pathological cases where concavity points are not correctly detected.

Index Terms

Inspec

Controlled Indexing

[feature extraction](#) [image processing](#) [object detection](#)

Non-controlled Indexing

[conglomerates](#) [convex blobs](#) [elongated blobs](#) [gray level images](#) [image blobs](#) [nonconvex blobs](#) [occlusions](#) [singular concavity points](#) [smooth contour](#)

Author Keywords

Not Available

References

No references available on IEEE Xplore.

Citing Documents

No citing documents available on IEEE Xplore.

[View Search Results](#) | [Previous Article](#) | [Next Article](#)[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

Indexed by
 Inspec